

Table of Content

Session 1: Reliability (1)

- 1.1 Keynote: What are the big challenges in PE**
J. W. Kolar (ETH Zurich, Switzerland)
- 1.2 Packaging and Reliability of Power Modules (Invited) 17**
J. Lutz (Chemnitz University of Technology, Germany)
- 1.3 High-throughput DBC-assembled IGBT screening for power module 25**
M. Tsukuda (The International Centre for the Study of East Asian Development & Kyushu Institute of Technology, Japan); S. Okoda (Coper Electronics co. ltd, Japan); N. Ryuzo (C. D. N. Corporation, Japan); K. Tashiro (HOH KOH SYA Co., Ltd., Japan); I. Omura (Kyushu Institute of Technology, Japan)
- 1.4 Simultaneous Testing of Wirebond and Solder Fatigue in IGBT Modules 31**
G. J. Riedel, M. Valov (ABB Corporate Research, Switzerland)

Session 2: Reliability (2)

- 2.1 Power cycling capability of Modules with SiC-Diodes 36**
C. Herold, T. Poller, J. Lutz (Chemnitz University of Technology, Germany);
M. Schäfer, F. Sauerland, O. Schilling (Infineon AG, Germany)
- 2.2 A real time measurement of junction temperature variation in high power IGBT modules for wind power converter application 42**
P. Ghimire, A. R. de Vega, K. B. Pedersen, S. Munk-Nielsen (Aalborg University, Denmark);
B. Rannestad, P. B. Thøgersen (kk-elektronics a/s, Denmark)
- 2.3 Thermal path integrity monitoring for IGBT Power Electronics Modules 48**
A. Eleffendi, C. M. Johnson (University of Nottingham, United Kingdom)
- 2.4 Reliability assessment of molded Smart Power Modules 55**
T. Thomas (TU Berlin, Germany); K.-D. Lang (TU Berlin, Germany);
K.-F. Becker, T. Braun, J. Bauer, O. Wittler, R. Aschenbrenner (Fraunhofer IZM, Germany)
- 2.5 Microstructural study of the fatigue mechanism of aluminum clad copper wires 63**
F. Naumann, B. Maerz, J. Schischka, M. Petzold (Fraunhofer Institute for Mechanics of Materials IWM, Germany)

Session 3: Reliability (3)

- 3.1 Aging of new Interconnect-Technologies of Power Modules during Power-Cycling 69**
N. Heuck, K. Guth, A. Ciliox, M. Thoben, N. Oeschler, S. Krasel, R. Speckels, L. Böwer
(Infineon Technologies AG, Germany)

3.2	High resolution failure analysis of silver-sintered contact interfaces for power electronics	75
	B. Böttge, S. Klengel, M. Petzold (Fraunhofer Institute for Mechanics of Materials IWM, Germany)	
3.3	A non-destructive study of crack development during thermal cycling of Al wire bonds using x-ray computed tomography	82
	P. A. Agyakwa, L. Yang, M. R. Corfield, C. M. Johnson (University of Nottingham, United Kingdom)	
3.4	Probabilistic model based analysis of electrolytic capacitor ageing and failures in a single-phase power factor correction circuit	87
	N. Seliger (University of Applied Sciences Rosenheim, Germany)	

Session 4: Reliability (4)

4.1	Transient hygro-thermal-response of power modules in inverters – mission profiling for climate and power loading (Invited)	93
	R. Bayerer, M. Lassmann, S. Kremp (Infineon Technologies AG, Germany)	
4.2	Temperature Humidity Bias (THB) Testing on IGBT Modules at High Bias Levels	101
	C. Zorn, Nando Kaminski (University of Bremen, Germany)	
4.3	Keynote: Simulation and Test Vibration – Nonlinear Dynamic Effects in Vibration Durability of Electronic Systems	108
	A. Dasgupta, C. Choi (University of Maryland, USA); Ed Habtour (US Army Research Lab, USA)	

Dialog Session: Inverters, Converters, Drivers

P01	Development of a New 1000 V / 1 MVA IGBT 3L-NPC-VSC PEBB Type 2 with Independent Modulation, DC-Link Balancing and Short-Circuit Protection	118
	I. Staudt (SEMIKRON Elektronik GmbH & Co. KG, Germany); M. Sprenger (Technische Universitaet Dresden, Germany)	
P02	Switching-Frequency Limitations of a Three-Phase PWM Inverter using Si-MOSFETs and SiC-SBDs	123
	K. Wada, Kent Taguri (Tokyo Metropolitan University, Japan)	
P03	A proposal of embedded SoC power supply compatible with a digital block design flow	128
	T. Souvignet, S. Trochut, F. Hasbani (STMicroelectronics, France); B. Allard (INSA Lyon, France)	
P04	Ultra-low Power Autonomous Power Management System with Effective Impedance Matching for RF Energy Harvesting	133
	S.-E. Adami, C. Vollaie, B. Allard (Ampere Lab, France); F. Costa (SATIE, France); W. Haboubi, L. Cirio (Marne-la-Vallée University, France)	
P05	GaN Power Semiconductors for PV Inverter Applications – Opportunities and Risks	139
	T. Stubbe (SMA Solar Technology AG, Germany); R. Mallwitz (Fulda University of Applied Sciences, Germany); M. Kunze (MicroGaN GmbH, Germany); W. Bergner, O. Häberlen, G. Pozzovivo, R. Rupp (Infineon Technology AG, Germany)	

P06	Design of Photovoltaic Microinverter for Off-Grid and Grid-Parallel Applications	145
	C. Felgemacher, P. Jäger, A. Kobeissi, J. Pfeiffer, D. Wiegand, W. Kruschel, B. Dombert, S. Araújo, P. Zacharias (University of Kassel, Germany)	
P07	An Improved Method of Controlling IGBT Modules Using an Optimized Gate Current Waveform	151
	M. Cenusă, G. Cretu, M. Pfof (Reutlingen University, Germany)	
P08	Impact of the control on the size of the output capacitor in the integration of Buck converters	157
	J. Cortés, V. Svikovic, P. Alou, J. A. Oliver, J. A. Cobos (Universidad Politécnica de Madrid, Spain)	

Dialog Session: Packaging

P09	Improving the bond strength of sinter joints by modifying the DBC without noble finishes and modified silver sinter pastes	163
	A. Roth (KCC Corporation, Germany); W. Schmitt (Heraeus Materials Technology GmbH & Co. KG, Germany)	
P10	Power Semiconductors Packaging in PV Inverters up to 30 kW power, a difficult choice	169
	J. Hinze, P. Zacharias, S. Araújo (Universität Kassel, Germany); J. Friebe (SMA Solar Technology AG, Germany); T. Leifert (SMA Solar Technology AG, Germany)	
P11	Data-driven Modeling of the Ultrasonic Softening Effect for Robust Copper Wire Bonding	175
	A. Unger, W. Sextro, S. Althoff, T. Meyer (University of Paderborn, Germany); M. Brökelmann (Hesse GmbH, Germany); F. Reinhart, K. Neumann (Bielefeld University, Germany); K. Guth, D. Bolowski (Infineon Technologies AG, Germany)	
P12	Influence of nickel-phosphorus surface roughness on both wettability and pores formation in solder joints for high power electronic applications	181
	L. Vivet, K. L. Tan, J. M. Morelle (Valeo, France); A.-L. Joudrier (Institut Lavoisier de Versailles, France); A. Etcheberry (Institut Lavoisier de Versailles, France); L. Chalumeau (Egide, France)	
P13	Challenges on Diagnostics of Power Electronics Modules and Assemblies	187
	H.-J. Albrecht, N. Busche, J. Strogies, K. Wilke, M. Schuster, C. Cassigniol (Siemens AG, Germany)	
P14	Surface Profiles of Printed Ag Nanoparticle Paste and Their Implication on the Quality of Sintered Joints	193
	Y. Wang ¹ , J. Li, P. Agyakwa, C. M. Johnson, S. Li (University of Nottingham, United Kingdom); ¹ (China Aero-Polytechnology Establishment, Beijing, China)	
P15	Developments for Copper-Graphite Composite Thermal Cores for PCBs for High- Reliability RF Systems	200
	D. L. Saums (DS&A LLC, USA); Robert A. Hay (MMCC LLC, USA)	
P16	Robustness study of solder joints of different compositions by using Stochastic Finite Element Modeling	206
	Y. Aoues, A. Makhoulfi, A. El-Hami (INSA-LOFIMS, France); P. Pougnet (Reliability Expert Valeo, France)	

Dialog Session: Reliability, Design Tools

- P17 Internal degradation monitoring of power devices during power cycling test 213**
A. Watanabe, I. Omura (Kyushu Institute of Technology, Japan); M. Tsukuda (The International Centre for the Study of East Asian Development & Kyushu Institute of Technology, Japan)
- P18 Characterization of different wire bonding materials during passive thermal test 218**
F. Cosiansi (Politecnico of Turin, Italy); M. Turnaturi, E. Mattiuzzo (Vishay Semiconductor Italiana, Italy); S. Koetter, S. Thomas (Heraeus, Germany)
- P19 Manufacturability and Reliability Assessment of Power Sandwich Technology 222**
I. Josifovic, J. Popovic-Gerber, B. Ferreira (Delft University of Technology, The Netherlands); T. Huesgen, E. Mengotti, U. Drofenik (ABB Corporate Research, Switzerland)
- P20 Reliability Prediction Approach of DC-DC Converter with Electrical Stress Analysis 228**
J. Kim, S. Choi, K. Lee (Kwangwoon University, South Korea)
- P21 A Multi-Disciplinary Virtual Prototyping Design Tool for Power Electronics 232**
P. L. Evans, A. Castellazzi, C. M. Johnson (University of Nottingham, United Kingdom)

Dialog Session: Wide Band Gap Packaging

- P22 Evolution of Electrical Performance in New Generation of SiC MOSFET for High Temperature Applications 239**
R. Ouaida (Université Lyon1 & Thales TMI, France); C. Calvez, A.-S. Podlejski, P. Brosselard (Laboratoire Ampère UMR CNRS 5005, France)
- P23 Technology, industry and market trends in WBG power module packaging 244**
P. Roussel, J. Azemar (Yole Développement, France)
- P24 Novel Layout and Packaging for Lateral, Low-Resistance GaN-on-Si Power Transistors 247**
R. Reiner, P. Waltereit, F. Benkhelifa, H. Walcher, R. Quay, M. Schlechtweg, O. Ambacher (Fraunhofer Institute for Applied Solid State Physics, Germany)
- P25 High Temperature Discrete Integrated Coreless Signal Insulator 252**
D. Bergogne (Ampere Lab, France); K. El Falahi, G. Picun (X-Rel Semiconductors, France); H. Ezzeddine (ST-Microelectronics, France); C. Martin, B. Allard (University of Lyon, France)

C. Pintout (ST-Microelectronics, France)

- P26 Investigation on AlCu-clad base plates and a new by-pass cooler concept for pin fin power modules 256**
A. Uhlemann, E. Hyman, T. Fath (Infineon Technologies AG, Germany)
- P27 Laminate with Thermal – Power Insert for Efficient Front-Side Heat Removal and Power Delivery 260**
D. Gschwend, T. Tick, S. Paredes, T. Brunschwiler (IBM Research Zurich, Switzerland); S. Oggioni (IBM ISC Eng., Italy); K. Matsumoto (IBM-Japan, Japan); M. K. Tiwari, D. Poulikakos (ETH Zurich, Switzerland)

P28	A Simple Method to Evaluate Substrate Layout for Power Modules	267
	Nan Zhu, Min Chen, Dehong Xu (Zhejiang University, P.R. China)	
P29	Planar, double-layer magnetic inductors for low power, high frequency DC-DC converters	273
	Elias Haddad (University Lyon 1, France); Christian Martin (University Lyon 1, France); Charles Joubert (university Lyon 1, France); Bruno Allard (INSA Lyon, France); Cyril Buttay (INSA Lyon, France); Tony Abi Tannous (INSA Lyon, France); Pascal Bevilacqua (INSA Lyon, France)	

Session 5: Inverters, Converters

5.1	Power Supply With Integrated PassivEs The EU FP7 Power Swipe Project (Invited)	278
	C. Ó. Mathúna, N. Wang, S. Kulkarni, R. Anthony, N. Cordero (University College Cork, Ireland); J. Oliver, V. Svikovic, J. Antonio Cobos, J. Cortés (Universidad Politécnica de Madrid, Spain); F. Neveu, C. Martin, B. Allard (Ampere Lab-UMR CNRS, France); F. Voiron (IPDIA, France); B. Knott, C. Sandner, G. Maderbacher, J. Pichler, M. Agostinelli, A. Anca (Infineon Technologies AG, Austria); M. Breig (Bosch Technologies, Germany)	
5.2	Review of high frequency, highly integrated inductive DC-DC converters	285
	F. Neveu, C. Martin, B. Allard (INSA Lyon, France)	
5.3	Low-inductive inverter concept by 200A / 1200V half bridge in EasyPACK 2B – following strip-line design	292
	C. R. Müller, R. Bayerer (Infineon Technologies AG, Germany)	
5.4	Losses Comparison of Gallium Nitride and Silicon Transistors in a High Frequency Boost Converter	298
	W. Wang, S. de Haan, B. Ferreira (Delft University of Technology, The Netherlands); F. Pansier (NXP Semiconductors, The Netherlands)	

Session 6: Interfaces and Substrates

6.1	Practical Aspects of Testing Methods for Thermal Interface Materials (Invited)	304
	D. Saums (DS&A LLC, USA)	
6.2	High Temperature Compatibility of Interface between Al Ribbon and Au finished DBC Substrate	319
	S. Park, S. Nagao, K. Suganuma (Osaka University, Japan)	
6.3	Improved thermal cycling reliability of ZTA (Zirconia Toughened Alumina) DBC substrates by manipulating metallization properties.....	322
	J. Park, A. Roth (KCC Europe GmbH, Germany)	
6.4	3D Packaging for vertical power devices	331
	N. Rouger, J.-C. Crebier (Université Grenoble Alpes, G2Elab CNRS, France); J. Widiez, L. Benaissa, B. Imbert, P. Gondcharton (CEA Leti, France);	

Session 7: Inverters, Converters, Drivers

7.1	Scalable high frequency converters for drivers based on switching cells	337
	M. Schulz, F. Kapaun, R. Marquardt (Universität der Bundeswehr München, Germany)	

7.2	Flexible switching speed control to improve switching losses and EMI by a gate driver with adjustable gate current	342
	J. Bauch (Otto-von-Guericke-University Magdeburg, Germany); A. Lindemann (University of Magdeburg, Germany); A. Arens, P. Kanschat (Infineon Technologies AG, Germany)	
7.3	Integrated gate driver circuits with an ultra-compact design and high level of galvanic isolation for power transistors	348
	D. To, Y. Lembeye, N. Rouger, J.-D. Arnould, N. Corrao (Université Grenoble Alpes, France)	
7.4	Controlling of Power Electronic Modules by a 2-Wire-Connection with Combined Signal and Power Transfer	354
	S. Endres (LEB Uni Erlangen, Germany); S. Zeltner (Fraunhofer IISB, Germany)	

Session 8: Interconnects

8.1	Foil Based Transient Liquid Phase Bonding as a Die-Attachment Method for High Temperature Devices	359
	A. A. Bajwa, Y. Qin, J. Wilde (University of Freiburg, Germany)	
8.2	Partial transient liquid phase bonding for high-temperature power electronics using Sn/Zn/Sn sandwich structure solder	365
	S. Park, S. Nagao, T. Sugahara, K. Suganuma (Osaka University, Japan); Y. Katoh, H. Ishino, K. Sugiura (Denso Corporation, Japan)	
8.3	Application of Silver Nano Particle to Pressureless Bonding onto a Copper Surface – Consideration of Substitute Material for Lead Solder	371
	S. Kurita, H. Miyoshi, S. Kurita (DOWA Electronics Materials, Japan)	
8.4	Reliability of Sn based LT-TLPS Joints for High Temperature Electronic Systems	376
	H. Greve, P. McCluskey (University of Maryland, USA)	
8.5	Is Conductive Adhesive Bonding Suited for the Die-Attachment of Power Devices?	382
	J. Wilde, J. Ocklenburg (University of Freiburg, Germany); E. Rastjagaev (Infineon Technologies AG, Austria)	

Session 9: Overview: EMI: Renewables, Sensors

9.1	Conducted EMI and Systems Integration (Invited)	388
	D. Boroyevich, X. Zhang, R. Burgos (CPES, USA); H. Bishnoi (ABB, Switzerland); P. Mattavelli (DTG, Italy); F. Wang (CURENT, USA)	
9.2	Power Electronics for Renewable Energy Systems – Status and Trends (Invited)	402
	F. Blaabjerg, K. Ma, Y. Yang (Aalborg University, Denmark)	
9.3	New applications in power electronics for highly integrated high-speed magneto-resistive current sensors (Invited)	413
	S. Scherner, R. Slatter (Sensitec GmbH, Germany)	
9.4	System Integration of GaN Converters – Paradigm Shift, Challenges and Opportunities	420
	J. Popovic, B. Ferreira (Delft University of Technology, The Netherlands); J. Daan van Wyk (University of Johannesburg, South Africa)	

Session 10: Lifetime and Robustness

- 10.1 Efficient online-algorithm for the temperature-cycle recording of an IGBT power module in a hybrid car during inverter operation 428**
M. Denk, M. Bakran (University of Bayreuth, Germany)
- 10.2 Analyzing the State of Health of Diode Layers by Using Structure Functions 434**
M. Richter (Chemnitz University of Technology & Robert Bosch GmbH, Germany); M. Kopp, R. Schroth (Robert Bosch GmbH, Germany); J. Lutz (Chemnitz University of Technology, Germany)
- 10.3 Electro – Thermal Simulations and Experimental Results on the Surge Current Capability of 1200 V SiC MPS Diodes 438**
S. Fichtner, J. Lutz, T. Basler (Chemnitz University of Technology, Germany); R. Rupp, R. Gerlach (Infineon Technologies AG, Germany)
- 10.4 A New Rainflow – free Method to Transfer Irregular Load Mission Profile Data Into appropriate Lab Test Conditions for Design Optimization 444**
A. Aal (Volkswagen AG, Germany)

Session 11: Power Modules

- 11.1 Power Modules with Increased Power Density and Reliability Using Cu Wire Bonds on Sintered Metal Buffer Layers 450**
J. Rudzki, F. Osterwald (Danfoss Silicon Power GmbH, Germany); M. Becker, R. Eisele (FH Kiel, Germany); M. Poech (Fraunhofer Institut für Siliziumtechnologie, Germany)
- 11.2 New power-module structures consisting of both Cu and Al bonded to AlN substrates with an Al base plate 456**
N. Terasaki, Y. Nagatomo, T. Nagase, Y. Kuromitsu (Mitsubishi Materials Corporation, Japan)
- 11.3 Breakthrough into the third dimension – Sintered multi layer flex for ultra low inductance power modules 461**
P. Beckedahl, M. Spang, O. Tamm (Semikron Elektronik GmbH & Co. KG, Germany)

Session 12: Wide Band Gap (1)

- 12.1 Influence of Cu/Ni(P) Metallized Si₃N₄ Ceramic Substrate in Bond Reliability of Power Components at 250 °C 466**
F. Lang (R&D Partnership for Future Power Electronics Technology, Japan); H. Yamaguchi, H. Nakagawa, H. Sato (R&D Partnership for Future Power Electronics Technology, Japan; Advanced Power Electronics Research Center, AIST, Tsukuba, Ibaraki, Japan)
- 12.2 DCB-based low-inductive SiC modules for high frequency operation 472**
M. Meisser (Karlsruhe Institute of Technology & Institute for Data Processing and Electronics, Germany); D. Hamilton, P. Mawby (University of Warwick, United Kingdom)
- 12.3 1200 V-360 A SiC Power Module with Phase Leg Clustering Concept for Low Parasitic Inductance and High Speed Switching 482**
K. Takao, T. Shinohe, T. Yamamoto, K. Hasegawa, M. Ishida (Toshiba Corporation, Japan)

12.4 Comparison of thermo-mechanical reliability of high-temperature bonding materials for attachment of SiC devices	489
J. Li, I. Yaqub, M. Corfield, P. A. Agyakwa, C. M. Johnson (University of Nottingham, United Kingdom)	
12.5 Robust Top Side Contact Technology on Power Semiconductors – Results from the Public Funded Project ,Pro Power‘	496
M. Rittner, D. Gross, M. Guyenot, M. Günther, S. Haag, T. Kaden, M. Reinhold (Robert Bosch GmbH, Germany); M. Thoben (Infineon Technologies AG, Germany); S. Stegmeier, K. Weidner (Siemens AG, Germany); M. Kock (Danfoss Silicon Power GmbH, Germany)	

Session 13: Wide Band Gap (2)

13.1 Packaging Very Fast Switching Semiconductors (Invited)	502
E. Hoene, A. Ostmann, C. Marczok (Fraunhofer IZM, Germany)	
13.2 Multi-chip circuit design for silicon carbide power electronics (Invited)	509
H.-P. Nee, D. Pefititsis (KTH Royal Institute of Technology, Sweden); J. Rabkowski (Warsaw University of Technology, Poland)	
13.3 Keynote: Present and Future of GaN Power Devices	519
D. Ueda, T. Fukuda, S. Nagai, H. Sakai, N. Otsuka, T. Morita, N. Negoro, T. Ueda, T. Tanaka (Panasonic, Japan)	